

# Aseptico

2026

DENTAL CATALOG

**NEW**  
**WIRELESS**  
**FOOT**  
**CONTROLS**

Our Newest Innovation. Works with  
Current Aseptico Motors (pg. 20)



**PORTABLE**  
**DENTISTRY**

Updated Taskforce Delivery System (pg. 31)

---



## Automated Air Delivery System

ADU-07 and ADU-07A

- Choose 2 or 3 handpiece system
- Includes 3-way air/water syringe
- Wall or cabinet mount
- Optional fiber-optics
- Includes foot control

**The Automated Air Dental Delivery System** is a pneumatic handpiece control system that gives you everything you need at a price you can afford. Highly customizable, select from a 2-handpiece system with manual control, or 3-handpiece system with automatic selection and individual air and water adjustments. Both models include air pressure gauge, 3-way air/water syringe, foot control, and water flow adjustments. Flat top design is ideal for mounting into cabinets. Requires connection to air and water sources.


2-Handpiece/Manual Control	<a href="#">ADU-07</a>
3-Handpiece/Automatic	<a href="#">ADU-07A</a>

### Options

5-hole Fiber Optic Upgrade	<a href="#">AA-19LED-04</a>
6-pin Fiber Optic Upgrade	<a href="#">AA-19A-06</a>
4 Hole Fiber Optic Coupler	<a href="#">AHP-82EGEN-QD</a>

### Replacement Parts

Disc Foot Control w/ Water Toggle	<a href="#">AA-43W</a>
Air/Water Syringe	<a href="#">TA-90D</a>
Autoclavable Tips for Air/Water Syringe	<a href="#">TA-1</a>



**Folding Arm  
Wall Mount**

Folding wall mount for ADU-07, ADU-07A and ADU-04, Dental Delivery Systems  
AA-05A



## Manual Air Delivery System

ADU-04

- 2-handpiece control system
- 3-way air/water syringe
- Optional independent water
- Ideal for arm or wall mounting
- Requires connection to air

**The Manual Air Delivery System** is a pneumatic handpiece control system for two handpieces. It includes a 3-way air/water syringe and disk foot control. Requires connection to air and water sources or use optional independent water.

Manual Air Control System	<a href="#">ADU-04</a>
---------------------------	------------------------

### Options

Clean Water System with 1L Bottle (Shown)	<a href="#">NWS-71</a>
4 Hole Fiber Optic Coupler	<a href="#">AHP-82EGEN-QD</a>

### Replacement Parts

Disc Foot Control	<a href="#">AA-42</a>
Air/Water Syringe	<a href="#">TA-90D</a>
1L Water Bottle (for NWS-71)	<a href="#">730471</a>
Autoclavable Tips for Air/Water Syringe	<a href="#">TA-1</a>



FRIENDLY AND PROFESSIONAL SERVICE. CALL TODAY! 02 9875 5588

**Aseptico**

MOBILE & PORTABLE  
DENTAL EQUIPMENT



## Find The Right Portable Equipment For You

Driven to advancing dental care and patient access to care. **Call us today! 425-408-9347.**



	GO Ultra Portable	Express Portable	Transport III Portable	Lightweight Portable	AMC-15 Mobile Dental Cart	AMC-25 Mobile Dental Cart
	Our most advanced technology	World's #1 selling portable system	Military-grade performance	Only 17 pounds! Requires Portable Compressor	Affordable workhorse for general dentistry	Highly customizable, Hospital-grade dental cart
<b>Recommended Use</b>						
General Dentistry	✓	✓	✓	✓	✓	✓
Dental Hygiene	✓	✓	✓	✓	✓	✓
Dental Sealant Placement	✓	✓	✓	✓	✓	✓
Rotary Endodontics			✓			Optional
<b>Motor and Handpiece Connection Type</b>						
	Electric	Air	Electric	Air	Air	Air with Electric Option
<b>Special Features</b>						
Wireless Foot Control	✓					
Handpiece Illumination	✓	Optional	✓	Optional	Optional	Optional
Integrated Ultrasonic Scaler Option	AEU-350S		AEU-525S			Optional
Integrated Curing Light Option						Optional
<b>Weight</b>						
	32 lbs.	43.5 lbs.	56 lbs.	17 lbs.	139 lbs.	167 lbs.
	Qualifies as a carry-on luggage	Can be checked as luggage	Extra luggage fee required	Check with your airline	Usually moved by truck or van then rolled room-to-room in institutional settings	

## Taskforce Portable Dental System

ADU-12DCE

- New look and case design
- Lightweight and easy to carry, under 33lbs!
- Two air handpiece connections
- Powerful saliva ejector vacuum
- Built-in maintenance free compressor
- Water port for Cavitron/scaler
- 110V or 220V switchable voltage
- 12.5" x 17.5" x 7.5" (31.8 x 44.5 x 19.1 cm)

The most compact pneumatic portable dental system, the Taskforce, represents the best value on the market. At 32.6 pounds the Taskforce is easily carried from location to location. This unit includes two air-driven handpiece connections (high speed /low speed), low volume suction, and air water syringe, making it the ideal system for mobile hygiene. Simple and easy to use, the Taskforce can be set up or put away in just minutes.

**Taskforce** [ADU-12DCE](#)

**Optional Accessories**

Scaler Titan Blis-Sonic Air Operated Swivel Type [ASC-06](#)

Scaler Titan Blis-Sonic 4-Hole To Swivel Adapter [ASC-06-SW](#)

Scaler Titan Blis-Sonic Air Operated 4-Hole [ASC-06-4H](#)

Stainless Steel Cuspidor [AA-26SS](#)

with Solids Trap 5" (12.7mm) diameter for convenient expression during treatment

High Volume Tip Adapter [AA-12HVE](#)

enables use of standard 11mm high volume tips

**Fiber Optic Upgrade Kits**

5-hole [AA-19LED-04](#)

6-pin [AA-19A-06](#)

4 Hole Fiber Optic Coupler [AHP-82EGEN-QD](#)

*"I have used the Aseptico Taskforce Deluxe in 25 developing countries on dental missions. The unit is lightweight, and has always functioned well with minimal power requirements. I have recommended its use to many needing a lightweight, reliable dental operating unit."*

**COL (Ret) Robert Meyer, DMD**

Executive Director  
Christian Dental Society



**4-Hole to E-Type Air Motor AHP-50**

Low Speed Air Motor (4-hole) adapts air turbine to accept E-type handpieces.

*Call for more information.*



**4-Hole Restorative AHP-96MK**

Air-driven  
Internal irrigation  
Non-optic  
Max 320k rpm  
Max volume 62 dB

Recommended for high speed dentistry  
See page 16.



ASEPTICO PORTABLE SYSTEMS ARE MADE IN THE USA. CALL TODAY! 02 9875 5588



"It's really user-friendly and quiet. Everything takes half the amount of time to do which allows me to spend more time with my patients. I've never worked with a company that cared so much about keeping me in business so that I can help take care of other people."

**Erin Poicus, RDH**  
Cascade Hygiene

**Perfect with the NEW GO Cart**  
Learn more about the GO cart on page 34.

## GO Ultra Portable Dental Delivery System

### Our Most Advanced Technology

AEU-350/AEU-350S

- Simple to operate for restorative & hygiene
- Integrated brushless motor with LED illumination
- Powerful vacuum and air flow
- Exceptionally quiet operation
- Ultra-compact and lightweight
- Meets carry-on luggage requirements
- Air filter reduces airborne particulates
- Use anywhere in the world with electric or battery power
- Customer-replaceable bacterial-viral filter
- Health Canada Approved
- Now CE-Marked (EU-MDR)

#### Designed for Ease-of-Use and Reliability

The GO leverages Aseptico's expertise in crafting leading portable dental units for today's challenges and opportunities. Designed for operator ease-of-use and outstanding reliability, the GO is capable of restorative dentistry and hygiene functions.

At only 32 pounds, the GO Ultra Portable dental system is so compact it qualifies as carry-on luggage for air travel.

The GO delivers powerful airflow and suction yet operates more quietly and cleanly than standard air compressor units (it even has an air filter to reduce airborne particulates).

<b>NEW GO With Wireless On/Off Switch</b>	<b>AEU-350-W</b>
<b>NEW GO With Scaler &amp; Wireless On/Off Switch</b>	<b>AEU-350S-W</b>
<b>GO Ultra Portable Dental Delivery System</b>	<b>AEU-350</b>
<b>GO With Scaler</b>	<b>AEU-350S</b>

<b>Options</b>	
24 VDC Battery	<b>AA-350-BATCAB2</b>
Power Cord	
Vacuum Hose Plug	<b>AA-350-VPLUG</b>
Snap-On Tray	<b>AA-350-TRAY</b>
<b>Replacement Parts For AEU-350S</b>	
Thin Subgingival	<b>ASC-10-PE37</b>
Slim Universal	<b>ASC-10-PE38</b>
Power Universal	<b>ASC-10-PE39</b>
Scaler Holder	<b>AA-350-HLD1</b>
Scaler Wrench	<b>ASC-10-UNIV</b>
Scaler Ergo Sleeve	<b>ASC-10L-ERGOSLV</b>

<b>Replacement Parts</b>	
Micromotor with 5' cable	<b>AE-242SC-40</b>
Water Supply Bottle	<b>AA-350-BOT</b>
Waste Collection Tank	<b>330811</b>
Vacuum Line Filter	<b>AA-350-VLF</b>
Air Filter	<b>AA-350-FIL</b>
HVE Valve and Hose Assembly	<b>AA-350-HVE</b>
Saliva Ejector Valve and Hose Assembly	<b>AA-350-SAL</b>
Foot Switch	<b>AE-7PM</b>
Power Cord	<b>840107</b>
Power Cord Pouch	<b>410222</b>
Hose Storage Pouch	<b>410225</b>

#### Powerful Electric Motor

5k to 200k rpm range is ideal for prophylaxis and restorative.

#### Faster Drying for Sealants

- Syringe Performance:
- 80 psi initial
  - Up to 50 psi continuous

#### More Powerful Suction!

New vacuum blower technology

#### NEW Ultrasonic Scaler Option Now Available

Fully integrated piezoelectric ultrasonic scaler with LED illumination

#### Super Compact!

22" x 13" x 9.2" fits into the airline overhead as carry-on luggage



#### Plug in Anywhere in the World

100-240 VAC & 24VDC input options

#### Can Operate on External Battery Power

Powering the GO from a 24 VDC battery is an option for those who work off-the-grid. The cable is purchased from Aseptico, and the customer supplies the 24V battery.

#### Easy and Light

Only 32 pounds!

#### Quieter Operation

A quieter vacuum system that turns on only when HVE and saliva ejector are removed from their holders creates a quieter experience for both operator and patient.

#### 500 mL Water Capacity

Plenty of water capacity for restorative cases

#### 1 Liter Waste Capacity

Easy, clean removal of waste

#### Impact Resistant

Durable, wheeled case with comfortable handles

#### Weighted & Omnidirectional Foot Pedal

Stays in place and can be activated from any angle

#### Wireless Foot Control

Now Available for the GO



OUR MOST ADVANCED TECHNOLOGY!  
CALL TODAY! 02 9875 5588

## Portable Supply Cart GO Cart

ATC-350ZT

Move equipment effortlessly with the lightweight Aseptico GO Cart. Designed for mobile dental professionals, it offers smooth all-terrain mobility, organized storage with six pouches, and built-in water bottle holders. Weighing only 16.5 lbs, it also features a durable frame that doubles as a portable seat.

### GO Cart

[ATC-350ZT](#)

Cart size: 24.5"H x 22"W x 14.5"D (including wheels)  
(51"H with fully extended handle)

"The GO Cart has completely transformed my practice. It's incredibly durable, keeps me organized, and makes moving between patients a breeze."

**Sonya Dunbar**, MPH, RDH  
Geriatric Toothfairy | Mobile Dental Xpress



### Durable Telescoping Handle

Extends Up to 51".

### Perfect With The GO

Pair the GO Cart with the GO (AEU-350/s) and bring everything you need in one trip.

### Extra Storage

Use the two additional side pockets for extra items.

### Patented Steel Frame

Doubles as a portable seat, supporting up to 300 lbs for on-the-spot convenience.

### All-Terrain Tires

Ensure smooth transportation over any terrain, making it ideal for remote and diverse settings.



### Storage For Everything

Equipped with six storage pouches and customizable organizer boxes, perfect for storing handpieces, scalers, and other dental tools.



Two water bottle holders at the back can also carry sanitation supplies

## Express Portable Dental System

ADU-17A and ADU-17A2

ADU-17X and ADU-17X2

- Fast and efficient for dental sealants
- Available with one or two air handpiece connections
- High volume evacuator and saliva ejector
- Built-in maintenance free compressor
- Water port for Cavitron/scaler
- High capacity 1 gallon waste container
- 110V or 230V switchable voltage
- 44-48 lbs (20-21.8 kg)
- 10.5" x 14.5" x 24" (27 x 36 x 61 cm)

**Aseptico's most popular portable** dental systems, the Express Air and Express II portable dental systems are fully self-contained, lightweight, reliable performers that provide everything a dentist or hygienist needs to perform effectively in the field. These powerful units feature up to two air-driven handpiece connections, high volume and saliva ejector suction, internal water reservoir, 3-way syringe, and integrated air compressor.

**Express Air – features variable rheostat foot pedal.** The handpiece only operates when the variable rheostat foot pedal is depressed; handpiece operates independently from suction and 3-way syringe. **(Dentist preferred)**

**Express Air one handpiece connection** [ADU-17A](#)

**Express Air two handpiece connections** [ADU-17A2](#)

**Express II – features on/off electric foot switch.** All components are activated by the on/off foot switch. This configuration is sometimes desirable for special needs patients or other specialized applications. Please call for more information. **(Hygienist preferred)**

**Express II one handpiece connection** [ADU-17X](#)

**Express II two handpiece connections** [ADU-17X2](#)

### Fiber Optic Upgrade Kits

5-hole [AA-19LED-04](#)

6-pin [AA-19A-06](#)

4 Hole Fiber Optic Coupler [AHP-82EGEN-QD\\*](#)

### Options

Snap-On Tray [AA-17-TRAY](#)

HEPA Filter [AA-17-HEPA](#)

*Handpieces sold separately  
Recommended handpieces  
see pages 16-18.*



*"We love the ease of this piece of Aseptico equipment! It's essential for our business to run efficiently being able to utilize everything we would have in a private office setting while providing care in long-term care facilities. No sacrifice in power or suction either!"*

**Liz LaJoie**, RDH  
Director of Clinical Field Teams  
Aria Care Partners

## Transport III Portable Dental System

AEU-525S and AEU-525

- High torque electric motor with restorative and endodontic programs
- Fiber optic electric handpiece connection
- High volume evacuator and saliva ejector
- Quiet, intuitive, powerful
- Built-in maintenance free compressor
- Water port for Cavitron/scaler
- 115V or 230V Dual voltage
- Optional fiber optic piezo scaler
- Optional amalgam separator kit
- 57-63 lbs (25.8-28.6 kg)
- 17.9" x 10.4" x 22.1" (45.5 x 26.4 x 56.1 cm)

**The Transport III is Aseptico's most capable portable dental system.** Its features include noise reduction technology, an intuitive user interface, and 40k rpm brushless autoclavable micromotor. It is easy to set up, operate, and tear down. All components fit neatly into the impact resistant carrying case with inset handle and wheels.

Delivery module and user interface panel mount externally, placing controls and instruments at a comfortable level.

Dual level fluid sensors alert the user when the waste tank is 85% full for better procedure planning. The Transport III will then shut off the compressor before the tank exceeds capacity. The externally mounted waste container and optional amalgam separator means faster and cleaner waste disposal.

**Transport III with Scaler** [AEU-525S](#)

**Transport III** [AEU-525](#)

### Options

Amalgam Separator Kit	<a href="#">AA-525AMAL</a>
Micromotor with 6ft cable	<a href="#">AE-240-40</a>
Foot Switch with 10ft cable	<a href="#">AE-7PM-10</a>

### Replacement Parts


Micromotor with 5ft cable	<a href="#">AE-240SC-40</a>
Waste Tank Assembly	<a href="#">330603</a>
Foot Switch	<a href="#">AE-7PM</a>
Power Cord 110V	<a href="#">840049</a>
Power Cord 220V	<a href="#">840007</a>
Water Reservoir (white)	<a href="#">730471</a>

### Replacement Scaler Tips For AEU-525S Only

Slim Universal	<a href="#">ASC-10-PE38</a>
Thin Subgingival	<a href="#">ASC-10-PE37</a>
Power Universal	<a href="#">ASC-10-PE39</a>



*Handpieces sold separately  
Recommended handpieces see pages 16-18.*



Delivery module and user interface panel mount externally, placing controls and instruments at a comfortable level. AEU-525 has water connection for external scalers. AEU-525S includes built in piezo ultrasonic scaler with LED illumination and three tips.

Product shown with high volume suction and saliva ejector suction options added



## Lightweight Portable Delivery Systems

ADU-04ST

- Compact design and case under 15lbs (6.8kg)
- Customizable handpiece (high/slow speed) and vacuum options
- 3-way air/water syringe
- 25 ft. air line to connect to any air source
- Instrument tray
- Padded carrying case
- Carrying case: 25" x 11.5" x 11.5" (63.5 x 29 x 29cm)
- Requires air compressor for operation
- Quick disconnect options, .25 QD-Standard or 3/8 Schrader (optional)

**Restorative System w/ 2 HPC Connections** [ADU-04ST](#)

### Optional Upgrades

Scaler Titan Blis-Sonic Air Operated Swivel Type	<a href="#">ASC-06</a>
Scaler Titan Blis-Sonic 4-Hole To Swivel Adapter	<a href="#">ASC-06-SW</a>
Scaler Titan Blis-Sonic Air Operated 4-Hole	<a href="#">ASC-06-4H</a>
High Volume Suction	<a href="#">AA-21ST</a>
Saliva Ejector	<a href="#">AA-25ST</a>
5-hole Fiber Optics	<a href="#">AA-19LED-04</a>
6-pin Fiber Optics	<a href="#">AA-19A-06</a>
4 Hole Fiber Optic Coupler	<a href="#">AHP-82EGEN-QD</a>

## Airpac III Portable Compressor

AA-100-110

- 1.0 horsepower, 100 psi oil-less motor
- Air delivery 3.1 CFM at 40 PSI
- Built-in wheels and pull handle
- Available in 110V only
- Not available in Canada
- Weight: 46 lbs. (20.87 kg)
- Size: 17.93" W x 22.06" L x 10.43" H (45.5 cm W x 56.0 cm L x 26.5 cm H)

**The Airpac III Portable Compressor** is built by Aseptico to stand-up to heavy use and travel, the compressor is secured in its own super duty carrying case with built-in wheels and pull handle. The Airpac III includes an air storage tank and automatic pressure switch control.

**110V Compressor** [AA-100-110](#)




ASEPTICO PORTABLE SYSTEMS ARE MADE IN THE USA. CALL TODAY! 02 9875 5588



## AMC-25 Mobile Dental Cart

The **AMC-25 Mobile Cart** is a superior solution for providing general dental care in nursing homes, hospitals, or anywhere a mobile dental unit is needed. Available optional accessories allow for customizing this dental cart to meet your needs, including the ability to add electric handpieces, handpiece illumination, and much more!

- No plumbing required!
- 2 automatic high speed air handpiece connections (4-hole; non-fiber optic)
- 1 automatic low speed handpiece connection (4-hole; non-fiber optic)
- High and low volume suction with automatic overflow protection and solids trap
- 3-way air/water syringe
- Quick connect for ultrasonic scaler
- 2 hospital-grade outlets for accessories
- Wet/dry foot control
- Air Auxiliary Quick Disconnect
- Dual voltage 110V or 220V
- Operating pressure 80 psi
- High volume vacuum 7.6 SCFM @ 1.3 in Hg, 5.6 SCFM @ 4 in Hg
- Low volume vacuum 2.2 SCFM @ 1.5 in H
- Noise Level 65 dBA or less @ 3'4" (1 meter)
- Weight 167 lb (75.8 kg)
- Dimensions 23.5" W x 30" L x 36.5" H (56.7 x 76.2 x 92.7 cm)
- Optional: integrated electric motor, fiber-optic illumination for handpieces, ultrasonic scaler, curing light, amalgam separator, external vacuum/air/water hospital connections, auxiliary arm with accessory tray



**AMC-25 Mobile Dental Cart** AMC-25

### Options

Integrated Electric Motor	330674
Valo Curing Light	ALU-25CLK-VALO
2 Fiber Optic HP Connections	
5-hole (ISO-B)	AA-19LED-25CK5
6-pin (ISO-C)	AA-19A-25CK
Piezo Scaler	ASC-10-25CKL
Amalgam Separator	AA-20AMAL-CK
Auxiliary Arm with Accessory Tray	AA-20A
Hospital Kit (external air, water and vac connections)	AA-25HK

### Replacement Parts

Micromotor	AE-240SC-40
Wet/Dry Foot Control	AA-43W
Air/Water Syringe	TA-90D
1L Water Reservoir – Clear	730631-01
1L Water Bottle – Opaque (each)	730471
Strainer	730745
Amalgam Separator Filter	730595
Foot Control Caddy	AA-25CDY

## Unparalleled Features & Customization

The **AMC-25 Mobile Cart** is not only the most advanced dental cart on the market, but it also offers a range of customizability to suit your specific needs.



### Auxiliary Arm with Accessory Tray\*

360 degree maneuverability to be able to operate from any angle.

### Industry Leading VALO Curing Light\*

Easy connect/disconnect with its own individual holder.

### Scaler Connection\*

Optional ultrasonic scaler connection can be hardwired in.

### Multiple Fiber Optic Connections\*

Optional connections for your fiber optic handpieces.

### Integrated Electric Motor\*

Read more about functionality on the AEU-5000 (pg. 9).



### Completely Mobile for Easy Transport

Easy to wheel into trucks or vans, down hallways, in elevators, ER's and operating rooms.



### Wet/Dry Foot Pedal

Stays in place and can be activated from any angle.

### Amalgam Separator

Filters out particulate matter from waste water.

### Foot Control Caddy

Easily store the foot control and other accessories on your AMC-15/25



### 1L Water Reservoir & Bottle

Large capacity for minimal water recycling between patients.

### Great Backup Unit for Offices & Hospitals

### Impact Resistant

Durable, wheeled case with comfortable handles.

### Hospitable Grade Outlets

For any additional accessories needed.



\*Does not come standard with unit



ASEPTICO MOBILE DENTAL SYSTEMS ARE MADE IN THE USA. CALL TODAY! 02 9875 5588

## AMC-15 Mobile Dental Cart

**Designed for Easy and Affordable Mobility**, the AMC-15 Mobile Dental Cart is equipped for general dentistry with two automatic high speed air connections, one low speed handpiece connection, internal vacuum and air, water supply, large waste tank with automatic overflow protection, and amalgam separator.

- No plumbing required!
- 2 automatic high speed air handpiece connections (4-hole; non-fiber optic)
- 1 automatic low speed handpiece connection (4-hole; non-fiber optic)
- High & low volume suction with automatic overflow protection and solids trap
- 3-way air/water syringe
- Quick connect for ultrasonic scaler
- Amalgam Separator
- Wet/dry foot control
- Air Auxiliary Quick Disconnect
- Available in 110V or 220V
- Operating pressure 80 psi
- High volume vacuum 6.0 SCFM @ 0 in Hg, 3.6 SCFM @ 4 in Hg
- Low volume vacuum 1.3 SCFM @ 1.5 in Hg
- Noise Level 63 dBA @ 3'4" (1 meter)
- Weight 139 lb (63 kg)
- Dimensions 23.5"W x 30" L x 36.5" H (56.7 x 76.2 x 92.7 cm)
- Optional: auxiliary arm with accessory tray

**AMC-15 Mobile Dental Cart** AMC-15

**Options**

Auxiliary Arm with Accessory Tray	AA-20A
4 Hole Fiber Optic Coupler	AHP-82EGEN-QD*

**Recommended Handpieces**

Air-Driven *see pages 16-17*

**Replacement Parts**

3-Way Air/Water Syringe with Tip	TA-90D
Amalgam Separator Filter	730595
Clear 1-liter Water Bottles w/Level Indicators	730631-01
Two 1-liter Water Bottles	730471
Wet/Dry Foot Control	AA-43W
Power Cord 115V	840049
Foot Control Caddy	AA-25CDY



## Compricart II Delivery System

ADU-20B

- One high speed and one low speed handpiece connection
- High volume evacuator and saliva ejector
- Large stainless steel instrument tray (13.5" x 9.75")
- All day water system with two liter self-contained water bottle

**Roll the Compricart II Dental Cart** from room to room with ease! Great for hospitals and expanding dental offices, the simple controls of the Compricart II make operation stress-free. A compact design, ample work surface, stainless steel instrument tray, integrated water supply, and venturi suction (high volume and saliva ejector) round out the features of this versatile platform. Just connect to an air source – no central vacuum required! Including the optional AWS-1C allows an external scaler to use the cart's water supply.

<b>Compricart II</b>	<b>ADU-20B</b>
<b>Options</b>	
Water Connection for External Scalers	AWS-1C
Fiber Optic Upgrade Kit 5-hole	AA-19LED-04
Fiber Optic Upgrade Kit 6-pin	AA-19A-06
<b>Replacement Parts</b>	
Complete HVE Assembly	330461
Disc Foot Control w/ Water Toggle	AA-43W
Air/Water Syringe	TA-90D
2L Water Bottle	730665



AEU-5000 Add-on Option Available  
See details on page 9

"We have been using our AMC-15 since November 2023 approximately once per month for dental care in people with severe developmental disabilities. It is the perfect unit for our needs and has functioned flawlessly."

**Gregory A. Costello, MD**  
Chief Medical Officer  
Hope Christian Services



FRIENDLY AND PROFESSIONAL SERVICE. CALL TODAY! 02 9875 5588



**NEW Sileather Fabric**

Discover Sileather™ — eco-friendly and sustainable silicone fabric designed for durability and easy care. Naturally stain-resistant, UV-stable, and tough against wear, Sileather keeps our stools and chairs reliably clean and comfortable in demanding settings.



Chairs and Stools Available in Gray and Blue



All seating includes a padded carrying case



**AseptiStool**

ADC-08

- Set-up and store in seconds
- Includes padded case – no loose parts to misplace!
- 300 lb weight capacity
- Adjustable seat height: 19" - 22" (48.3-55.9 cm)
- 15 lbs (6.75 kg)
- Padded carrying case: 18" x 22" x 8" (48 x 53 x 23 cm)

**Durable, adjustable and foldable**, the AseptiStool Portable Dental Stool is the perfect seating solution for any clinician. Its one-piece design sets up or stores in seconds, and it swivels on four casters for easy mobility during treatment. It is height adjustable, lightweight, and folds up for simple storage in the included padded travel case.

<b>AseptiStool</b>	<b>ADC-08</b>
<b>Replacement Padded Carrying Case</b>	<b>410093</b>



**Hydraulic AseptiStool**

ADC-10

- Easy set-up and storage
- Includes padded case
- 300 lb weight capacity
- Hydraulic adjustable height: 18" - 25.5" (45.7 - 64.8 cm)
- 19 lbs (8.6 kg)
- Padded carrying case: 26" x 26" x 11" (56 x 56 x 28 cm)

**With hydraulic adjustable height**, the Hydraulic AseptiStool gives the mobile dentist the comfort and flexibility of doing dentistry in the office. It is easy to set up, tear down and transport in its included padded case. Even with its sturdy construction and high weight capacity, the stool is lightweight and carrying it into any mobile dental scenario is simple.

<b>Hydraulic AseptiStool</b>	<b>ADC-10</b>
<b>Replacement Padded Carrying Case</b>	<b>410213</b>



**AseptiChair**

ADC-01

- Sturdy, high-strength steel construction
- Lightweight, only 30 lbs (13.5 kg) in case!
- 300 lb weight capacity
- Backrest adjusts from fully upright to supine
- Price includes padded case, arm slings, and headrest cushion
- Adjustable seat height: 11" - 22" (11 - 55.9 cm)
- Padded carrying case: 23" x 34" x 8" (58 x 86 x 20.3 cm)

**The AseptiChair's sturdy** rolled steel construction is lightweight yet strong, making it perfect for portable dentistry. It is adjustable to five positions, with seat height ranging from 11 to 22 inches. The toe board folds down, allowing this portable dental chair to be used for examination.

<b>AseptiChair</b>	<b>ADC-01</b>
--------------------	---------------

**Replacement Parts**

Replacement Padded Carrying Case	<b>410193</b>
Replacement Leg Adjustment Pin	<b>460445-08</b>
Endcap Heavy Duty 1"	<b>850026</b>
Armrest Support Pin	<b>460444-08</b>



**Hydraulic AseptiChair**

ADC-02

- Hands-free height and back adjustment
- Adjustable with patient in chair
- 300 lb weight capacity
- No external electricity or air required
- Handle and wheels for easy mobility
- 69 lbs (31.3 kg)
- Hydraulic adjustable seat height: 11" - 33" (27.9 - 83.8 cm)
- Folded dimensions: 33" x 22" x 18" (83.8 x 55.9 x 45.7 cm)

**The Hydraulic AseptiChair** provides hands-free operation and is the only portable chair available with adjustability functions comparable to a standard dental chair. All chair lift functions are foot actuated hydraulic for hands-free operation; no external power is required. The AseptiChair provides comfortable patient seating for patients up to 300 lbs. Easy move wheels.

<b>Hydraulic AseptiChair</b>	<b>ADC-02</b>
<b>Hydraulic Assembly Only</b>	<b>330629</b>

**Replacement Parts**

Replacement Dust Cover	<b>410210</b>
------------------------	---------------

*"Having quality products like Aseptico patient/operator chairs gives our providers, patients, and facilities confidence in the care that a mobile alternative practice can provide"*

**Sara Luetke, RDH**  
Sound Dental Care



ALL ASEPTICO SEATING IS MADE IN THE USA. CALL TODAY! 02 9875 5588



## Portable LED Exam Light

ALU-40LED

- Adjustable LED with seven beam diameters
- Durable construction
- Includes padded carrying case
- Optional Amber UV filter for working with composites
- 12 lbs (5.4 kg)
- Padded carrying case: 45" x 9" x 5.5"  
(114.5 x 23 x 14 cm)

**The Portable LED Exam Light** provides high-intensity LED light with seven beam diameter settings. It features a compact lamp head with adjustable intensity, flexible gooseneck, telescoping tripod stand and padded carrying case. When a standard electric outlet is not available, an optional auxillary DC input can be purchased that allows 12V and 24V battery operation in the field.

<b>Portable LED Exam Light</b>	<a href="#">ALU-40LED</a>
<b>Optional Amber UV Filter</b>	<a href="#">461974</a>
<b>Replacement Padded Carrying Case</b>	<a href="#">410084</a>
<b>DC Cable with Battery Clips</b>	<a href="#">AA-40DC-BC</a>
<b>DC Cable with Car Lighter Adapter</b>	<a href="#">AA-40DC-LP</a>


## Portable Tray Stand

ATC-03CF

The Portable Tray Stand is a sturdy and necessary addition to any mobile operator. Standard size stainless instrument tray removes easily for autoclaving.

It weighs less than 9 pounds and folds into included case when work is done. Made in USA.

<b>Portable Tray Stand</b>	<a href="#">ATC-03CF</a>
----------------------------	--------------------------



CALL TODAY! 02 9875 5588

FOR FRIENDLY AND PROFESSIONAL CUSTOMER SERVICE.

## Heavy Duty Brushless Lab Motor Torque Pro Delivers Power

AEU-16SS-120

- For heavy acrylic use
- Brushless 50k rpm micromotor
- Consistent torque even at low speeds
- Includes Variable Speed Foot Control



### The Heavy Duty Brushless Lab Motor

delivers power, performance, durability, and portability. The brushless 50k rpm micromotor can produce up to 8.3 Ncm of torque and features easy to read digital display, preset memory storage, and hand/foot change button.

Heavy Duty Dental Lab Motor [AEU-16SS-120](#)

#### Replacement Parts:

Motor/Cable Assy	<a href="#">AE-H180</a>
Variable Speed Footswitch	<a href="#">AE-SP</a>

## Light Duty Lab Motor Powerful & Lightweight

AEU-10SS

- For light to medium acrylic use and low speed prophylaxis
- Versatile E-type straight 1:1 handpiece included
- 20k rpm micromotor
- Available in 110V or 220V
- Includes AE-7P On/Off Foot Switch



Includes AHP-101 Handpiece

The Light Duty Lab Motor is one of the finest motor and handpiece combinations available to the professional. It is ideal for chairside adjustments, prophylaxis, or any light to medium use.

Light Duty Dental Lab Motor [AEU-10SS](#)

Light Duty Dental Lab Motor [AEU-10SS-220](#)

#### Options

Optional Variable Speed Foot Control	<a href="#">AE-14A</a>
--------------------------------------	------------------------

#### Replacement Parts:

1:1 Handpiece	<a href="#">AHP-101</a>
Micromotor	<a href="#">AM-103B</a>
On/Off Foot Switch	<a href="#">AE-7P</a>

## Battery Powered Portable Lab Motor Ideal for Mobile Hygiene

AEU-03M1B

- For light duty use and low speed prophylaxis
- Straight 1:1 e-type handpiece included
- Dual voltage 110V-240V



The Battery Powered Portable Lab Motor is a smart solution for lightweight lab benchwork and performing prophylaxis in the field! This small portable unit delivers 22k rpm and can perform 8 hours on a single battery charge.

Portable Lab Motor with Handpiece [AEU-03M1B](#)

Portable Lab Motor [AEU-03M1B-NHP](#)

#### Replacement Parts

1:1 Handpiece	<a href="#">AHP-101</a>
Micromotor	<a href="#">AE-5M1-25</a>
Foot Switch	<a href="#">AE-7M1</a>

## Portable Sterilizer

ASU-12-110 and ASU-12-230

- Compact and portable
- 18-minute sterilization cycle (24-minute total cycle time)
- Only 6 minutes to reach sterilization temp
- Temperature: 250°F (121°C)
- 11.5 lbs (5.2 kg)
- 9 liter capacity

The Portable Dental Autoclave is designed to sterilize solid, unwrapped instruments in a 121°C saturated steam process during 18-minute sterilization cycle. Use distilled or deionized water only.

110V Sterilizer [ASU-12-110](#)

230V Sterilizer [ASU-12-230](#)



## Portable Saliva Ejector

AA-20

- Great for mobile dentistry or as a backup for sedation dentistry
- Powered by rechargeable battery pack, wall outlet or 12 VDC vehicle source
- Up to 60 minutes of continuous use on a single charge
- 800cc waste canister with float shut-off
- 6.3 lbs (2.9 kg)
- 9" x 7" x 8" (22.8 x 17.8 x 20 cm)

Great for mobile dentistry or as a backup for sedation dentistry, the Portable Saliva Ejector can be powered by a wall outlet, 12V DC source, or rechargeable battery pack. It features an adjustable 80 - 550 mm Hg vacuum range and 800cc waste canister with float shut-off. Includes padded carrying case.

Portable Saliva Ejector [AA-20](#)

Replacement 800 ml Canister [AA-20CAN](#)

Bacteria Filters [AA-20BF-2](#)

Vacuum Pump Tube Assembly [330668](#)



In addition to providing easy portable suction, the Portable Saliva Ejector fulfills the legal requirement for a back-up suction system in the event of power or suction failure.



CALL TODAY! 02 9875 5588

FOR FRIENDLY AND PROFESSIONAL CUSTOMER SERVICE.



# WISBEY DENTAL

KNOWLEDGE | PASSION | SERVICE

**Suite 17, 265 – 271 Pennant Hills Road, Thornleigh, NSW, 2120.**

**PO Box 291, Thornleigh, NSW, 2120.**

**Tel: 02 9875 5588    Fax: 02 987 5544**

**Email: [sales@wisbeydental.com](mailto:sales@wisbeydental.com)**

**Web: [www.wisbeydental.com](http://www.wisbeydental.com)**